Nuclear Engineering and Design 99 (1987) 459–461
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 99

Akagawa, K., see Ishida 99 (1987) 413
Akimoto, T., see Ishitori 99 (1987) 431
Analytis, G.Th. and G. Yadigaroglu, Analytical modeling of inverted annular film boiling 99 (1987) 201
Aya, I. and H. Nariai, Boundaries between regimes of pressure oscillation induced by steam condensation in pressure suppression containment 99 (1987) 31
Aya, I., see Iyori 99 (1987) 423

Baumann, W., see Wolf 99 (1987) 287
Bessho, Y. and S. Uchikawa, Boiling transition predictions for BWR fuel bundles by the subchannel analysis program menuett 99 (1987) 239
Blinkov, V.N., see Nigmatulin 99 (1987) 85

Caira, M., E. Cipollone, M. Cumo and A. Naviglio, Forced convective boiling in high pressure parallel how in tube bundles 99 (1987) 25
Cheung, P.B. and M. Epstein, Two-phase gas bubble-liquid boundary layer flow along vertical and inclined surfaces 99 (1987) 93
Chiu, C., see Todreas 99 (1987) 1
Chuman, K., see Yokomizo 99 (1987) 41
Cipollone, E., see Caira 99 (1987) 25
Cumo, M., see Caira 99 (1987) 25

David, J., see Wazzan 99 (1987) 379
De Jarlais, G., see Ishii 99 (1987) 187
De Salve, M. and B. Panella, Validation of a bottom flooding model 99 (1987) 213
Dhir, V.K., see Tung 99 (1987) 275

Enomoto, T., see Yokomizo 99 (1987) 41
Epstein, M., see Cheung 99 (1987) 93

Fakory, M.R. and R.T. Lahey, Jr., An experimental investigation of BWR/4 long-term cooling with either intact or broken jet pumps 99 (1987) 391
Fischer, K., see Wolf 99 (1987) 287
Fischer, K., see Wolf 99 (1987) 329
Forrest, C.F., K.S. Shin, W.I. Midvidy, R.E. Pauls and N. Wahba, Measurements of impact loads and expansion of flashing water jets 99 (1987) 53
Fujii, E., see Sakaguchi 99 (1987) 63
Fujii, T., see Ishida 99 (1987) 413
Fukuda, N., see Yokomizo 99 (1987) 41
Fukuda, T., see Ishitori 99 (1987) 431
Futamura, Y., see Ishida 99 (1987) 413

Giot, M., see Meyer 99 (1987) 75
Greig, D.R., see Kumar 99 (1987) 305
Gulshani, P., see Krishnan 99 (1987) 403

Hafner, W., see Wolf 99 (1987) 287
Hamaguchi, H., see Sakaguchi 99 (1987) 63
Hashimoto, K., see Ishida 99 (1987) 413
Hata, K., see Sakurai 99 (1987) 167
Herkenrath, H., see Wolf 99 (1987) 329
Hofmann, G., Dryout in very deep particulate beds. Experimental results and their interpretation with measured axial pressure differences 99 (1987) 177
Hufschmidt, W., see Wolf 99 (1987) 329

Ihle, P. and K. Rust, PWR reflood experiments using full length bundles of rods with Zircaloy claddings and alumina pellets. Results of the SEFLEX program 99 (1987) 223
Ishida, T., K. Akagawa, T. Fujii, H. Kutuna, K. Hashimoto, M. Ishizuka and Y. Futamura, Characteristics of natural circulation flow in a bend loop with a U-shape-type cooler 99 (1987) 413
Ishii, M. and G. De Jarlais, Flow visualization study of inverted annular flow of post dryout heat transfer region 99 (1987) 187
Ishitori, T., K. Ogura, N. Sato, I. Ohshima, H. Nei, M. Uotani, T. Fukuda and T. Akimoto, Experimental study of sodium natural convection heat transfer in the intermediate plenum for pool-type LMFBRs 99 (1987) 431
Ishizuka, M., see Ishida 99 (1987) 413
Iyori, I., I. Aya, H. Murata, M. Kobayashi and H. Nariai, Natural circulation of integrated-type marine reactor at inclined attitude 99 (1987) 423

Jerng, D.W. and H.C. No, New computational method with a fully-implicit scheme for a real-time accident simulator 99 (1987) 101
Jones, B.G., see Pan 99 (1987) 317

0029-5493/86/$03.50 © Elsevier Science Publishers B.V.
(North-Holland Physics Publishing Division)

Kaiser, H.G. and W. Zeggel, Turbulent flows in complex rod bundle geometries numerically predicted by the use of FEM and a basic turbulence model 99 (1987) 351
Kamo, T., see Kawasaki 99 (1987) 15
Katano, N., see Moriya 99 (1987) 441
Kawasaki, T., M. Naitoh and T. Kamo, Numerical and experimental study of two-phase jet impingement 99 (1987) 15
Kitayama, K., see Yokomizo 99 (1987) 41
Kobayashi, M., see Iyori 99 (1987) 423
Koga, T., see Masui 99 (1987) 109
Koizumi, Y., H. Kumamaru, T. Yonomoto and K. Tasaka, Post-dryout heat transfer of high-pressure steam-water two-phase flow in single rod channel and multi rod bundle 99 (1987) 157
Krishnan, V.S. and P. Gulshani, Stability of natural-circulation flow in a CANDU-type fuel channel 99 (1987) 403
Kumar, R.K., T. Skraba and D.R. Greig, Vented combustion of hydrogen-air mixtures in large volumes 99 (1987) 305
Kumamaru, H., see Koizumi 99 (1987) 157
Kutuna, H., see Ishida 99 (1987) 413

Laake, H.-J., see Spatz 99 (1987) 131
Lahey, Jr., R.T., Preface 99 (1987) ix
Lahey, Jr., R.T., see Taleyarkhan 99 (1987) 5
Lahey, Jr., R.T., see Fakory 99 (1987) 391
Lee, N., Discussions on loop seal behavior during cold leg small break LOCAs of a PWR 99 (1987) 453

Machiels, J., see Pan 99 (1987) 317
Masui, A., T. Koga, S. Moriya and N. Tanaka, Study of turbulence analysis code 99 (1987) 109
Mewes, D., see Spatz 99 (1987) 131
Meyer, B. and M. Giot, Experiments and modeling of flooding phenomena 99 (1987) 75
Midvidy, W.I., see Forrest 99 (1987) 53
Moriya, S., see Masui 99 (1987) 109
Moriya, S., N. Tanaka, N. Katano and A. Wada, Effects of Reynolds number and Richardson number on thermal stratification in hot plenum 99 (1987) 441
Müller-Menzel, Th. and W. Zeggel, CHF in the parameter range of advanced pressurized water reactor cores 99 (1987) 265
Muller, U., see Smoglie 99 (1987) 117
Murata, H., see Iyori 99 (1987) 423

Naitoh, M., see Kawasaki 99 (1987) 15
Nariai, H., see Aya 99 (1987) 31
Nariai, H., see Iyori 99 (1987) 423
Naviglio, A., see Caira 99 (1987) 25
Nei, H., see Ishitori 99 (1987) 431
Nigmatulin, B.I., K.I. Soplenkov and V.N. Blinkov, Critical steady-state blowdown of flashing water through tubes 99 (1987) 85
Nishiwaki, F., see Sakaguchi 99 (1987) 63
No, H.C., see Jerng 99 (1987) 101

Ogura, K., see Ishitori 99 (1987) 431
Ohshima, I., see Ishitori 99 (1987) 431
Ozawa, M., see Sakaguchi 99 (1987) 63

Pan, C., B.G. Jones and J. Machiels, Concentration levels of solutes in porous deposits with chimneys under wick boiling conditions 99 (1987) 317
Panella, B., see De Salve 99 (1987) 213
Pauls, R.E., see Forrest 99 (1987) 53
Podowski, M.Z., see Taleyarkhan 99 (1987) 5
Procaccia, H., see Wazzan 99 (1987) 379

Rehme, K., The structure of turbulent flow through rod bundles 99 (1987) 141
Reimann, J., see Smoglie 99 (1987) 117
Rust, K., see Ihle 99 (1987) 223

Sakaguchi, T., M. Ozawa, H. Hamaguchi, F. Nishiwaki and E. Fujii, Analysis of the impact force by a transient liquid flowing out of a horizontal pipe 99 (1987) 63
Sakurai, M. Shiotsu and K. Hata, Transient boiling caused by vapor film collapse at minimum heat flux in film boiling 99 (1987) 167
Sakurai, M., see Yokomizo 99 (1987) 41
Sato, N., see Ishitori 99 (1987) 431
Schygulla, U., see Wolf 99 (1987) 287
Shin, K.S., see Forrest 99 (1987) 53
Shiotsu, M., see Sakurai 99 (1987) 167
Skraba, T., see Kumar 99 (1987) 305
Smoglie, C., J. Reimann and U. Müller, Two phase flow through small breaks in a horizontal pipe with stratified flow 99 (1987) 117
Soplenkov, K.I., see Nigmatulin 99 (1987) 85
Spatz, R., H.-J. Laake, D. Mewes and F. Mayfinger, Counter-current flow behaviour of steam-saturated water and steam-subcooled water in the fuel element top nozzle area 99 (1987) 131

Taleyarkhan, R.P., M.Z. Podowski and R.T. Lahey, Jr., The effect of fuel rod dynamics on BWR stability margin 99 (1987) 5
Tanaka, N., see Masui 99 (1987) 109
Tanaka, N., see Moriya 99 (1987) 441
Tasaka, K., see Koizumi 99 (1987) 157
Todreas, N.E. and C. Chiu, Foreword 99 (1987) 1
Tung, V.X. and V.K. Dhir, Quenching of debris beds having variable permeability in the axial and radial directions 99 (1987) 275

Uchikawa, S., see Bessho 99 (1987) 239
Uotani, M., see Ishitori 99 (1987) 431

Viollet, P.L., The modelling of turbulent recirculating flows for the purpose of reactor thermalhydraulic analysis 99 (1987) 365
Vu, H.X., see Tung 99 (1987) 275

Wada, A., see Moriya 99 (1987) 441
Wahba, N., see Forrest 99 (1987) 53
Wazzan, A.R., H. Procaccia and J. David, Thermal-hydraulic characteristics of pressurized water reactors during commercial operation: VI. Chemical analysis of secondary water in the steam generators of Bugey 4 and Tricastin 1 99 (1987) 379
Wolf, L., U. Schygulla, W. Häfner, K. Fischer, and W. Baumann, Results of thermal mixing tests at the HDR-facility and comparisons with best-estimate and simple codes 99 (1987) 287
Wolf, L., K. Fischer, H. Herkenrath and W. Hufschmidt, Comprehensive assessment of the Ispra BWR and PWR subchannel experiments and code analysis with different two-phase models and solution schemes 99 (1987) 329

Yadigaroglu, G., see Analytic 99 (1987) 201
Yamaguchi, K., Flow pattern and dryout under sodium boiling conditions at decay power levels 99 (1987) 247
Yokomizo, O., M. Sakurai, Y. Yoshimoto, K. Kitayama, T. Enomoto, N. Fukuda and K. Chuman, Analysis of BWR core nuclear thermal hydraulic oscillation with three dimensional transient program 99 (1987) 41
Yonomoto, T., see Koizumi 99 (1987) 157
Yoshimoto, Y., see Yokomizo 99 (1987) 41

Zeggel, W., see Muller-Menzel 99 (1987) 265
Zeggel, W., see Kaiser 99 (1987) 351

CONTENTS

Selected papers from the Third International Topical Meeting on Nuclear Reactor Thermal-Hydraulics, October 1985, Newport, Rhode Island, USA

Preface, *R.T. Lahey, Jr.* ix
Foreword, *N.E. Todreas and C. Chiu* 1

Section 1. Single and multiphase flow dynamics
The effect of fuel rod dynamics on BWR stability margin, *R. Taleyarkhan, M.Z. Podowski and R.T. Lahey, Jr.* 5
Numerical and experimental study of two-phase jet impingement, *T. Kawasaki, M. Naitoh and T. Kamo* 15
Forced convective boiling in high pressure parallel flow in tube bundles, *M. Caira, E. Cipollone, M. Cumo and A. Naviglio* 25
Boundaries between regimes of pressure oscillation induced by steam condensation in pressure suppression containment, *I. Aya and H. Nariai* 31
Analysis of BWR core nuclear thermal hydraulic oscillation with three dimensional transient program, *O. Yokomizo, M. Sakurai, Y. Yoshimoto, K. Kitayama, T. Enomoto, N. Fukuda and K. Chuman* 41
Measurements of impact loads and expansion of flashing water jets, *C.F. Forrest, K.S. Shin, W.I. Midvidy, R.E. Pauls and N. Wahba* 53
Analysis of the impact force by a transient liquid slug flowing out of a horizontal pipe, *T. Sakaguchi, M. Ozawa, H. Hamaguchi, F. Nishiwaki and E. Fujii* 63

Section 2. Multiphase flow phenomena
Experiments and modeling of flooding phenomena, *B. Meyer and M. Giot* 75
Critical steady-state blowdown of flashing water through tubes, *B.I. Nigmatulin, K.I. Soplenkov and V.N. Blinkov* 85
Two-phase gas bubble-liquid boundary layer flow along vertical and inclined surfaces, *F.B. Cheung and M. Epstein* 93
New computational method with a fully-implicit scheme for a real-time accident simulator, *D.W. Jerng and H.C. No* 101
Study of turbulence analysis code, *A. Masui, T. Koga, S. Moriya and N. Tanaka* 109
Two phase flow through small breaks in a horizontal pipe with stratified flow, *C. Smoglie, J. Reimann and U. Müller* 117
Counter-current flow behaviour of steam-saturated water and steam-subcooled water in the fuel element top nozzle area, *R. Spatz, H.-J. Laake, D. Mewes and F. Mayinger* 131
The structure of turbulent flow through rod bundles, *K. Rehme* 141

Section 3. Boiling heat transfer phenomena
Post-dryout heat transfer of high-pressure steam-water two-phase flow in single rod channel and multi rod bundle, *Y. Koizumi, H. Kumamaru, T. Yonomoto and K. Tasaka* 157

Transient boiling caused by vapor film collapse at minimum heat flux in film boiling, *A. Sakurai, M. Shiotsu and K. Hata* 167
Dryout in very deep particulate beds (Experimental results and their interpretation with measured axial pressure differences), *G. Hofmann* 177
Flow visualization study of inverted annular flow of post dryout heat transfer region, *M. Ishii and G. De Jarlais* 187
Analytical modeling of inverted annular film boiling, *G.Th. Analytis and G. Yadigaroglu* 201
Validation of a bottom flooding model, *M. De Salve and B. Panella* 213
PWR reflood experiments using full length bundles of rods with Zircaloy claddings and alumina pellets (Results of the SEFLEX program), *P. Ihle and K. Rust* 223
Boiling transition predictions for BWR fuel bundles by the subchannel analysis program MENUETT, *Y. Bessho and S. Uchikawa* 239
Flow pattern and dryout under sodium boiling conditions at decay power levels, *K. Yamaguchi* 247
CHF in the parameter range of advanced pressurized water reactor cores, *Th. Müller-Menzel and W. Zeggel* 265
Quenching of debris beds having variable permeability in the axial and radial directions, *V.X. Tung and V.K. Dhir* 275

Section 4. Thermal-hydraulic mechanisms
Results of thermal mixing tests at the HDR-facility and comparisons with best-estimate and simple codes, *L. Wolf, U. Schygulla, W. Häffner, K. Fischer and W. Baumann* 287
Vented combustion of hydrogen-air mixtures in large volumes, *R.K. Kumar, T. Skraba and D.R. Greig* 305
Concentration levels of solutes in porous deposits with chimneys under wick boiling conditions, *C. Pan, B.G. Jones and A.J. Machiels* 317
Comprehensive assessment of the Ispra BWR and PWR subchannel experiments and code analysis with different two-phase models and solution schemes, *L. Wolf, K. Fischer, H. Herkenrath and W. Hufschmidt* 329
Turbulent flows in complex rod bundle geometries numerically predicted by the use of FEM and a basic turbulence model, *H.G. Kaiser and W. Zeggel* 351
The modelling of turbulent recirculating flows for the purpose of reactor thermal-hydraulic analysis, *P.L. Viollet* 365
Thermal-hydraulic characteristics of pressurized water reactors during commercial operation. VI. Chemical analysis of secondary water in the steam generators of Bugey 4 and Tricastin 1, *A.R. Wazzan, H. Procaccia and J. David* 379

Section 5. Natural circulation phenomena
An experimental investigation of BWR/4 long-term cooling with either intact or broken jet pumps, *M.R. Fakory and R.T. Lahey, Jr.* 391
Stability of natural-circulation flow in a CANDU-type fuel channel, *V.S. Krishnan and P. Gulshani* 403
Characteristics of natural circulation flow in a bend loop with a U-shape-type cooler, *T. Ishida, K. Akagawa, T. Fujii, H. Kutuna, K. Hashimoto, M. Ishizuka and Y. Futamura* 413
Natural circulation of integrated-type marine reactor at inclined attitude, *I. Iyori, I. Aya, H. Murata, M. Kobayashi and H. Nariai* 423

Experimental study of sodium natural convection heat transfer in the intermediate plenum for pool-type LMFBRs, *T. Ishitori, K. Ogura, N. Sato, I. Ohshima, H. Nei, M. Uotani, T. Fukuda and T. Akimoto* 431
Effects of Reynolds number and Richardson number on thermal stratification in hot plenum, *S. Moriya, N. Tanaka, N. Katano and A. Wada* 441
Discussions on loop seal behaviour during cold leg small break LOCAs of a PWR, *N. Lee* 453
Author index 459
Instructions to contributors 463